

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	3817	(707/10).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/11 13:20
S2	2972	((707/10).CCLS.) and (@ad<"20000707" @rlad<"20000707")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/11 12:13
S3	2245	(707/102).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/05/26 07:54
S4	1753	((707/102).CCLS.) and (@ad<"20000707" @rlad<"20000707")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/11 12:15
S5	1072	(707/103?).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/05/26 07:54
S6	901	((707/103?).CCLS.) and (@ad<"20000707" @rlad<"20000707")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/11 12:16
S7	0	(707/104?).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/05/26 09:48
S8	3137	(707/104.1).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/05/26 07:55
S9	2185	((707/104.1).CCLS.) and (@ad<"20000707" @rlad<"20000707")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/11 12:16
S10	64846	(data database datasource source) near3 (port portal)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/26 07:56
S11	180343	(data database datasource source) near5 (inteface GUI browser application api)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/26 07:57

S12	1109030	(connect\$3 coupl\$3 link\$3) near5 (establish\$3 mang\$3 control\$3 adminstrat\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/26 07:59
S13	2129	((data database datasource source) near3 (port portal)) same ((data database datasource source) near5 (interface GUI browser application api))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/26 07:59
S14	138	((connect\$3 coupl\$3 link\$3) near5 (establish\$3 mang\$3 control\$3 adminstrat\$3)) same (((data database datasource source) near3 (port portal)) same ((data database datasource source) near5 (interface GUI browser application api)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/26 07:59
S15	92	((connect\$3 coupl\$3 link\$3) near5 (establish\$3 mang\$3 control\$3 adminstrat\$3)) same (((data database datasource source) near3 (port portal)) same ((data database datasource source) near5 (interface GUI browser application api)))) and (@ad<"20000707" @rlad<"20000707")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/26 11:29
S16	0	((connect\$3 coupl\$3 link\$3) near5 (establish\$3 mang\$3 control\$3 adminstrat\$3)) same (((data database datasource source) near3 (port portal)) same ((data database datasource source) near5 (interface GUI browser application api)))) and (@ad<"20000707" @rlad<"20000707")) and rdsb	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/26 08:08
S17	1	((connect\$3 coupl\$3 link\$3) near5 (establish\$3 mang\$3 control\$3 adminstrat\$3)) same (((data database datasource source) near3 (port portal)) same ((data database datasource source) near5 (interface GUI browser application api)))) and (@ad<"20000707" @rlad<"20000707")) and sql	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/26 08:08
S18	5	((connect\$3 coupl\$3 link\$3) near5 (establish\$3 mang\$3 control\$3 adminstrat\$3)) same (((data database datasource source) near3 (port portal)) same ((data database datasource source) near5 (interface GUI browser application api)))) and (@ad<"20000707" @rlad<"20000707")) and html	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/26 08:13
S19	87	((connect\$3 coupl\$3 link\$3) near5 (establish\$3 mang\$3 control\$3 adminstrat\$3)) same (((data database datasource source) near3 (port portal)) same ((data database datasource source) near5 (interface GUI browser application api)))) and (@ad<"20000707" @rlad<"20000707")) not (((connect\$3 coupl\$3 link\$3) near5 (establish\$3 mang\$3 control\$3 adminstrat\$3)) same (((data database datasource source) near3 (port portal)) same ((data database datasource source) near5 (interface GUI browser application api)))) and (@ad<"20000707" @rlad<"20000707")) and sql (((connect\$3 coupl\$3 link\$3) near5 (establish\$3 mang\$3 control\$3 adminstrat\$3)) same (((data database datasource source) near3 (port portal)) same ((data database datasource source) near5 (interface GUI browser application api)))) and (@ad<"20000707" @rlad<"20000707")) and html))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/26 08:26
S20	2434	((707/10).CCLS.) and (@ad<"20000707" @rlad<"20000707")) and database	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/26 08:28
S21	33	((707/10).CCLS.) and (@ad<"20000707" @rlad<"20000707")) and (database near3 port)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/11 13:31
S22	9	((707/102).CCLS.) and (@ad<"20000707" @rlad<"20000707")) and (database near3 port)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/11 12:13

S23	0	((707/102).CCLS.) and (@ad<"20000707" @rlad<"20000707")) and (conver\$4 with (html near5 sql))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/26 09:30
S24	21	(conver\$4 translats\$3) with (html near5 sql)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/26 10:16
S25	12	((conver\$4 translats\$3) with (html near5 sql)) and (@ad<"20000707" @rlad<"20000707")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/26 09:42
S26	3	((707/103?).CCLS.) and (@ad<"20000707" @rlad<"20000707")) and (database near3 port)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/26 09:48
S27	26	((707/104.1).CCLS.) and (@ad<"20000707" @rlad<"20000707")) and (database near3 port)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/26 09:49
S28	173	((707/10).CCLS.) and (@ad<"20000707" @rlad<"20000707")) ((707/102).CCLS.) and (@ad<"20000707" @rlad<"20000707")) ((707/103?).CCLS.) and (@ad<"20000707" @rlad<"20000707")) ((707/104.1). CCLS.) and (@ad<"20000707" @rlad<"20000707")) and ((conver\$4 translats\$3) near5 sql)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/26 10:17
S29	49	((707/10).CCLS.) and (@ad<"20000707" @rlad<"20000707")) ((707/102).CCLS.) and (@ad<"20000707" @rlad<"20000707")) ((707/103?).CCLS.) and (@ad<"20000707" @rlad<"20000707")) ((707/104.1). CCLS.) and (@ad<"20000707" @rlad<"20000707")) and ((conver\$4 translats\$3) near5 sql)) and HTML	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/26 10:28
S30	12	((707/10).CCLS.) and (@ad<"20000707" @rlad<"20000707")) ((707/102).CCLS.) and (@ad<"20000707" @rlad<"20000707")) ((707/103?).CCLS.) and (@ad<"20000707" @rlad<"20000707")) ((707/104.1). CCLS.) and (@ad<"20000707" @rlad<"20000707")) and ((conver\$4 translats\$3) near5 sql)) and HTML) and port	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/26 10:33
S31	81	(709/211).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/05/26 11:09
S32	69	((709/211).CCLS.) and (@ad<"20000707" @rlad<"20000707")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/11 12:17
S33	19	((709/211).CCLS.) and (@ad<"20000707" @rlad<"20000707")) and ((database) ((conver\$3 translats\$ near5 sql))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/11 12:19
S34	2539	(709/217).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/05/26 11:29

S35	1808	((709/217).CCLS.) and (@ad<"20000707" @rlad<"20000707")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/11 12:17
S36	1115	((((709/217).CCLS.) and (@ad<"20000707" @rlad<"20000707")) and ((database) ((conver\$3 transl\$ near5 sql)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/26 11:11
S37	21	((((709/217).CCLS.) and (@ad<"20000707" @rlad<"20000707")) and ((database) and ((conver\$3 transl\$ near5 sql)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/26 11:29
S38	1811	(709/229).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/05/26 11:29
S39	1158	((709/229).CCLS.) and (@ad<"20000707" @rlad<"20000707")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/11 12:17
S40	8	((((709/229).CCLS.) and (@ad<"20000707" @rlad<"20000707")) and ((database) and ((conver\$3 transl\$ near5 sql)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/26 11:29
S41	81	\$10wanit.xa.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/26 14:50
S42	57	\$10wanit.xp.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/26 14:51
S43	3	"6604139"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/26 14:52
S44	363	(learn\$3 detect\$3 sens\$3 determin\$3 judg\$3) with (resource near5 (unavailab\$5 busy\$3 inactive disable))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/11 08:52
S45	5798	(learn\$3 detect\$3 sens\$3 determin\$3 judg\$3) with (resource near5 (status availab\$5 unavailab\$5 idl\$3 busy\$3 \$2active disable enable))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/11 08:53
S46	363	S44 same S45	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/11 08:53

S48	37	S46 same (port portal interface browser (middle adj tier) GUI)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/11 08:57
S49	31	S48 and (@ad<"20000707" @rlad<"20000707")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/11 09:49
S50	16159	(middle adj tier) (connection near2 (manager controller))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/11 10:08
S51	2144	S50 with (interface port portal)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/11 09:48
S52	425	S51 same (sql database application)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/11 09:48
S53	15	S52 same ((query availab\$5 unavailab\$5) near3 (resource data information))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/11 10:08
S54	5	S53 and (@ad<"20000707" @rlad<"20000707")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/11 10:16
S55	34	"net.data"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/11 10:11
S56	0	S50 same S55	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/11 10:08
S57	2	S50 and S55	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/11 10:10
S58	48174	((data database) near3 port)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/11 10:11
S59	952013	("net.data" GUI interface browser)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/11 10:11
S60	1761715	(connect\$3 coupl\$3) near3 (manag\$5 control\$4 device system server)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/11 10:15

S61	7712	S58 with S59	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/11 10:15
S62	828	S61 with S60	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/11 10:16
S63	630	S62 and (@ad<"20000707" @rlad<"20000707")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/11 10:17
S64	0	S62 same S45	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/11 10:17
S65	32	S62 same (sql request)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/11 10:17
S66	22	S65 and (@ad<"20000707" @rlad<"20000707")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/11 10:17
S67	107	((707/102).CCLS.) and (@ad<"20000707" @rlad<"20000707") and (@pd>"20040526")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/11 12:16
S68	21	((707/103?).CCLS.) and (@ad<"20000707" @rlad<"20000707") and (@pd>"20040526")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/11 12:16
S69	98	((707/104.1).CCLS.) and (@ad<"20000707" @rlad<"20000707") and (@pd>"20040526")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/11 12:16
S70	2	((709/211).CCLS.) and (@ad<"20000707" @rlad<"20000707") and (@pd>"20040526")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/11 12:17
S71	141	((709/217).CCLS.) and (@ad<"20000707" @rlad<"20000707") and (@pd>"20040526")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/11 12:17
S72	115	((709/229).CCLS.) and (@ad<"20000707" @rlad<"20000707") and (@pd>"20040526")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/11 12:17
S73	437	S67 S68 S69 S70 S71 S72	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/11 12:18

S74	97	S73 and ((database) with (port interface))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/11 12:19
S75	94	S74 and (SQL connect\$)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/11 12:20
S76	4435	database with log with (error warning data time sql request query schema (record adj number))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/11 13:23
S77	20996	(database connection) adj3 (controller manager)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/11 13:31
S78	582	database near2 port	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/11 13:27
S79	78058	inteface odbc "net.data" GUI browser	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/11 13:26
S80	0	S76 same S77 same S78 same S79	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/11 13:26
S81	2	S77 same S78 same S79	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/11 13:27
S82	59059	(database connection) adj3 (server controller manager)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/11 13:27
S83	2	S77 same S81 same S79	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/11 13:27
S84	2	S78 same S79 same S81	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/11 13:28
S85	962408	port portal	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/11 13:28
S86	2	S85 same S79 same S81	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/11 13:29

S87	4820	S85 same S79	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/11 13:29
S88	997	middle adj tier	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/11 13:30
S89	7	S87 same S88	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/11 13:34
S90	0	S76 same S89	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/11 13:30
S91	4	S76 and S89	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/11 13:30
S92	87	S76 same S77	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/11 13:31
S93	39	S92 and (@ad<"20000707" @rlad<"20000707")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/11 13:32